



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1150  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09 927,368	08 13 2001	Hisaya Mori	50090-332	4507

7590 08 07 2003

McDERMOTT, WILL & EMERY  
600 13th Street, N.W.  
Washington, DC 20005-3096

EXAMINER

CHAN, EMILY Y

ART UNIT	PAPER NUMBER
----------	--------------

2829

DATE MAILED: 08/07/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/927,368

Applicant(s)

MORI ET AL.

Examiner

emily y chan

Art Unit

2829

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☐ Responsive to amendment communication(s) filed on 6/2/03.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☐ Claim(s) 1-5 and 7-12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) 1-5 and 7-12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☒ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413) Paper No(s) \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

### DETAILED ACTION

**1) Claims 1-5 and 7-12 remain for examination.**

2) The rejection under 35 U.S.C. 103(a) as being unpatentable over Toshishige (01-316024) in view of Yamamura ('019) and Rosenthal et al ('521) for claims 1-5 dated on 3/14/03 is withdrawn.

3) A new rejection ground is given as follows.

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1 -5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Toshishige (01-316024) in view of Rosenthal et al ('521).

2. With respect to claim 1, Toshishige (01-316024) expressly teach an apparatus (see fig 1) for testing a semiconductor integrated circuit as claimed, comprising:

A test circuit board (1) constructed so as to exchange a signal with a semiconductor integrated circuit (2, 3, and 6) under test, the semiconductor integrated circuit (2) including an analog-to-digital converter circuit or (6) a digital-to-analog converter circuit (3);


A test ancillary device (8, 6, 9, 11, 13 and 10) disposed in the vicinity of test circuit board (1) including data memory (11) for storing digital test data

Art Unit: 2829

output from the analog-to-digital converter circuit (6) or digital test data produced by converting analog test data output from the digital-to-analog converter circuit (3), and an analysis section (10) for analyzing the digital data stored in the data memory (11).

Toshishige (01-316024) does not teach that his data memory (11) is divided into two memory sections such that, when digital test data is stored in one memory section, digital test data previously stored in the other memory section is loaded for analysis purpose.

Rosenthal et al ('521) disclose mixed-signal tester architecture of the IXD7232 board (fig 4, below and col. 7, lines 14-15) and particularly teach multi-bank capture memory which is divided into two memory sections (MEM A 460, MEM B 465) for storing test data such that, when digital test data is stored in one memory section (460), digital test data previously stored in the other memory section (465) is loaded for analysis purpose (see Abstract, last 6 lines, and col. 7, lines 33-39).



It would have been obvious to one ordinary skill in the art at the time the invention was made to incorporate the teaching of Rosenthal et al ('521)' multi-bank capture memory into Toshishige (01-316024)' apparatus to make Toshishige (01-316024)'s data memory (11) including two memory sections for the purpose of speeding the test process as disclosed by Rosenthal et al ('521) (see abstract, last 2 lines).

3. With respect to claims 2 and 5, Rosenthal et al ('521)' teach first and second memory devices (460 and 465) which respectively include the first and second memory sections (multi-banks).

4. With respect to claims 3-4, Rosenthal et al ('521)' teach memory input and output changeover means (455) for performing a changeover operation on the test ancillary device memory (460, 465).

5. Claims 7 and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Toshishige (01-316024) in view of Rosenthal et al ('521).

With respect to claim 7, Toshishige (01-316024) expressly teach a method for testing a semiconductor integrated circuit (2, 3 6) including at least one of an analog-to-digital converter circuit (6) and a digital-to-analog converter circuit (3). Toshishige (01-316024) 's method uses a test circuit board (1) configured to exchange one or more signals with the semiconductor integrated circuit (2) and a test ancillary device (8, 9, 11, 12,13 and 10) which is coupled to the test circuit board (1) and includes a memory (11) as claimed, comprising:

Storing first digital test data (9) derived from the semiconductor integrated circuit (2) in the data memory (11) (see Toshishige (01-316024) PURPOSE: "storing the result sequentially to a storage element") while proving second digital test data (13) derived from the semiconductor integrated circuit (2) and data previously stored in the data memory (11) to an analysis device (10) for analyzing the digital data stored in the data memory (11), wherein the first and second digital test data are one of output from an analog-to-digital converter circuit (6) or digital test data produced by converting analog test data output from the digital-to-analog converter circuit (3).

Toshishige (01-316024) does not teach to store the **first digital test data** in the **first memory section** and **data previously stored** in **second memory section**.

Rosenthal et al ('521) disclose mixed-signal tester architecture of the IXD7232 board (fig 4, below and col. 7, lines 14-15) comprising multi-bank capture memory for storing test data and particularly teach the method when digital test data is stored in one memory section (460), digital test data previously stored in the other memory section (465) is loaded for analysis purpose (see Abstract, last 6 lines, and col. 7, lines 33-39).

It would have been obvious to one ordinary skill in the art at the time the invention was made to incorporate the teaching of Rosenthal et al ('521)' method that allows data be written into one memory bank while previously-written data in another memory bank is processed into Toshishige (01-316024)' method so to modify Toshishige (01-316024)'s memory 11 with first and second memory sections for the purpose of speeding the test process as disclosed by Rosenthal et al ('521) (see abstract, last two lines).

6. With respect to claim 10, Toshishige (01-316024)' teach to provide a source digital signal (7) to the semiconductor integrated circuit (2), wherein the test data stored in the test ancillary device memory (11) is derived from the digital-to-analog converter circuit (3) converting the source digital signal (7) to analog form.

7. With respect to claims 11-12, Rosenthal et al ('521) teach memory input and output changeover means (455) for performing a changeover operation on the test ancillary device memory (460, 465).

8. Claims 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Toshishige (01-316024) in view of Rosenthal et al ('521) as applied to claim 7 above, and further in view of Coggins et al ('365).

Toshishige (01-316024) in view Rosenthal et al ('521) do not teach to provide a source analog signal to semiconductor integrated circuit (2).

Coggins et al ('365) disclose a diagnostic apparatus for testing an analog circuit (see Fig 2) below and specifically teach that his semiconductor integrated circuit (15) includes both an analog-to-digital converter circuit (22) and digital -to-analog converter circuit (27), a source analog signal (see col.3, line 25) to the semiconductor integrated circuit (15).




FIG. 2



Art Unit: 2829

It would have been obvious to one ordinary skill in the art at the time the invention was made to incorporate the teaching of Coggins et al's ('365) analog-to-digital converter circuit and digital-to-analog converter circuit into Tooshishige (01-316024)' apparatus for the purpose of providing flexibility to perform various complex tests as disclosed by Coggins et al ('365) (see col. 2, lines 45-46).


9. Applicant's arguments with respect to claims 1 and 7 have been considered but are moot in view of the new ground(s) of rejection.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emily Y chan whose telephone number is 7033056123. The examiner can normally be reached on 8:30-5:30.

11. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cuneo, Kammie can be reached on 7033081233. The fax phone numbers for the organization where this application or proceeding is assigned are 7033085841 for regular communications and 7033085841 for After Final communications.

12. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 7022056123.

ec  
July 23, 2003

A handwritten signature in black ink, appearing to be "J. Chan", is written over a faint, circular official stamp. The signature is fluid and cursive.